

Seven è un apparecchio realizzato per segnare in modo discreto percorsi, vialetti e per l'illuminazione di aiuole e giardini. L'essenzialità della propria conformazione, permette l'utilizzo dei singoli articoli in modo armonioso e mimetico senza intaccare l'estetica dell'ambiente che lo circonda, anche durante la fase diurna della giornata.

Apparecchio da esterno con grado IP54 costruito interamente in lega d'alluminio anodizzato e completo di led di potenza da 3.5 W ad elevato flusso luminoso controllato in corrente (350 mA). La chiusura frontale è garantita da una mascherina in materiale termoplastico di elevate prestazioni sul piano tecnico come ottima resistenza agli urti, extra trasparenza e conformità al Glow-wire test di 850 °C.

Necessita per il funzionamento di un alimentatore da 12Vdc (non incluso)

Seven is a device designed to signal itineraries and paths in a discrete way and to light gardens and outdoor areas. Its essential design allows the use of its single parts in a harmonious and mimetic way without ever detracting – even during the day - from the aesthetics of the surrounding ambience.

This outdoor device, with an IP54 classification, is built entirely of anodized aluminum and it is supplied with 3.5 W LED lights with a high 350 mA light flow. Its front panel closure has a high performance thermal-plastic cover which is shock-proof, ultra-transparent and in compliance to the 850 °C Glow-wire test.

It requires a 12Vdc charger for use which is not included.


7500



1 LED

4,2W

12Vdc



CE IP44

Allimentazione esclusa vedi pag. 753
Supply not included see pag. 753

Corrente nominale
Nominal current

350 mA

Potenza W
Power W

3,5W Led singolo

Angolo luminoso
Luminose beam

120°

Temperatura colore
Colour temperature

5000 °K

Flusso luminoso (lm)
Luminous flux

280

20 Anodizzato naturale
Natural anodised



7500 1 Led - 4,2W - 12Vdc